FAIRMOUNT DROP FORGED DOLLY BLOCKS Tempered and Highly Polished



No. 1058.....each \$1.50 4¾ x 2¼ x 1 16 in., 2½ lbs.



No. 1060 each \$3.50 21/8 x 23/8 x 21/4 in., 23/4 lbs.



No. 1057... each \$1.75 $3 \times 2\frac{1}{2} \times 1\frac{1}{16}$ in., 2 lbs.



No. 1059....each \$1.50 $3\frac{1}{8}x2\frac{7}{8}x1\frac{7}{16}$ in., $2\frac{1}{2}$ lbs.



No. 1064.....each \$1.50 4½ x 1½ x 1 in., 1¾ lbs.



No. 1062 2½ lbs. ea. 1.50 Note: No. 1056 for 32 and 1/4 inch Beads.

No. 1062 for $\frac{5}{16}$ and No. 1065.....each \$2.50 3x2 16. Hdle., 114., 25/8 lbs. 5% inch Beads.




FAIRMOUNT DROP FORGED BUMPING HAMMER

Ebony, Polished. 14 oz.

HAMMER

No. 160 G Bumping Hammer...each \$1.00



Ebony, Polished. 9 oz.

No. 161G Bumping Hammer...each \$1.25

FAIRMOUNT DROP FORGED DING HAMMER



Ebony, Polished. Head 6 in. from crown to crown. Wgt., 13 oz.

No. 150G Ding Hammer each ...\$2.00

FAIRMOUNT DROP FORGED DING HAMMER





FAIRMOUNT DROP FORGED FLANGING HAMMER



Ebony and polished.

Weight, 12 ounces.

Ebony and polished.

Weight, 9 ounces.

No. 165-G Drop Forged Hammer. . each \$2.00

FAIRMOUNT DROP FORGED FLANGING HAMMER



No. 166-G Drop Forged Hammer . . each \$2.00

FAIRMOUNT DROP FORGED FENDER BUMPER For bumping the dents out of fenders without removing either the wheel or the tire, and without removing fender. Ebony and polished. Length of head, 8½ inches. Weight, 1½ pounds. No. 155 Fender Bumper.....each \$2.00

FAIRMOUNT ENGINEERS' OR TIRE HAMMER

Ebony, polished. Other sizes 18 oz. to 4 lbs. No. 123-E Tire Hammer, 2½ lbs...each \$1.60

FAIRMOUNT DROP FORGED MAGNETIC TRIMMERS HAMMER



FAIRMOUNT DROP FORGED TRIMMERS' HAMMER



Ebony and polished.

Weight 8 ounces.

No. 22-G without claweach \$1.00 No. 22-G with claweach 1.50

FAIRMOUNT BALL PEIN HAMMERS Polished. Made in 4 oz. to 3 lbs. sizes. No. 107-H Hammer, 13/4 lbs.....each \$1.25 FAIRMOUNT DROP FORGED BODY WORKERS' SPOONS Ebony, Polished. No. 1074 Spoon 1 x 111/2 in. 7 oz... each \$0.75 No. 1075 Spoon ½ x 3½, 6½ in. long, 4 oz.each FAIRMOUNT DROP FORGED BODY WORKERS' **SPOONS** Ebony, Polished. No. 1054 Spoons 2 x 10½ in. 1 lb..... ..each \$1.25 FAIRMOUNT DROP FORCED BODY WORKERS' SPOONS 11/8 inches wide. 7 inches long. $5\frac{1}{2}$ oz. Ebony, Polished. No. 1042 Body Workers' Spoon.....each \$.75 FAIRMOUNT DROP FORGED BODY WORKERS' **SPOONS** Ebony, Polished. No. 1043 Spoon 11/4 x101/4 in., 111/2 oz.....each \$1.00 FAIRMOUNT DROP FORGED BODY WORKERS' SPOONS Ebony, Polished. Face, 2x7FAIRMOUNT in. No. 1051 Spoon, 134 lbs....each \$2.00 FAIRMOUNT DROP FORGED MOULDING AND TACK REMOVER 5% in. Oct. 123% in. long. 1 lb. 3 oz. No. 1105 Moulding Tool ... each \$1.50 FAIRMOUNT DROP FORGED FENDER SPOONS Hardened. Ebony, Polished. No. 1048 Face 21/2x % in. Lgth., 4 in. Wt. 1 lb. No. 1049 Face 23/4 x11/4 in. Lgth., 4 in. Wt. 11/2 lbs. No. 1048 Fender Spoon.....each \$1.00 No. 1049 Fender Spoon.....each 1.50

No. 1050. Ebony, Polished.

Face 11/2 x 5 in. Wt., 1 lb. 8 oz.

No. 1050 Fender Spoon...each \$2.00

One inch octagon handle.

FAIRMOUNT FORGED FENDER FLANGE TOOL



For straightening fender flanges. Ebony finished and

No. 1077, 1½ x 16 in., wgt., 2 lbs.....each \$1.50 No. 1078, 13/4 x 16 in., wgt. 2 lbs. 13 oz...each 2.00

FAIRMOUNT DROP FORGED FENDER PLIERS

Ebony finish. For resetting wire bead in rim. No. 1053 Fender Pliers, 11½ in., 22 oz.....each \$1.50

FAIRMOUNT DROP FORGED FENDER PLIERS For clamping fender flange when welding.

No. 1073 Fender Pliers, 11 in. 1 lb.....each \$1.50

FAIRMOUNT FORGED DOOR PANEL REMOVER

Ebony. finish. 3/8 x 8 in. Wgt., 5 oz.

No. 1110 Door Panel Remover.....each \$0.75

FAIRMOUNT FORGED WHEEL HOUSING FORMING TOOL % inch. (

34 inch. Oct. 11 inches long. 1 lb. 6 oz. No. 1095 Wheel Housing Forming Tool, ea. \$1.25

No. 1100 FAIRMOUNT FORGED GLASS

REMOVING TOOL Ebony finish. % x 15¾ in. long. Weight, 1½ lbs. ...each \$1.00

No. 1100 Glass Removing Tool.....


FAIRMOUNT FORGED RUNNING BOARD MOULDING TOOL


Ebony, Polished. No. 403 each \$1.50

FAIRMOUNT FORGED HINGE STRAIGHTENING TOOL



FAIRMOUNT





FAIRMOUNT HINGE STRAIGHTENING TOOL

Drop forged. 1734 inches long. Jaw opening, ¼ and ½ inch. Weight, 2 lbs. 1 oz. No. 1102 ... each \$2.50 ,

FAIRMOUNT TRIPLE A FLAT COLD CHISELS FAIRMOUNT TRIPLE A LONG TAPER PUNCHES

FAIRMOUNT							
No.	Diam. Oct. In.	Lgth. In.	Each (Net)	No.	Diam. Oct. In	Lgth. In.	Each (Net)
1	1/4	5	\$0.25	24	1/2	12	\$0.70
2	5	5	.35	25	5/8	10	.80
3	3/8	5	.40	26	5/8	12	.90
4	7	6	.45	27	5/8	16	1.15
5	1/2	6	.50	28	3/4	10	1.00
6	5/8	$6\frac{1}{2}$.65	29	3/4	12	1.20
7	3/4	71/2	.80	30	3/4	16	1.40
8	7/8	8	1.00	31	3/4	18	1.60
9	1	8	1.25	32	7/8	12	1.50
23	3/8	10	.50	33	1	12	1.85

FAIRMOUNT TRIPLE A RIVET CHISEL

	17	inch	tip.
Separation of the factor of the	11	inches	long.
		. 9 oz.	
No. 34 Rivet Chisel	٠.,	each	\$1.25

FAIRMOUNT TRIPLE A CAPE CHISELS

	Diam.		Width	1		Diam.		Width	1
	Oct.	Lgth.	Cut	Each		Oct.	Lgth.	Cut	Each
No.	In.	In.	In.	(Net)	No.	In.	In.	In.	(Net)
43	3/8	51/2	1/4	\$.45	46	3/4	8	1/2	\$.90
44	1/2	61/2	16	55	47	7/8	81/2	5/8	1.15
45	5/8	71/2	3/8	.65	48	1	9	3/4	1.50

FAIRMOUNT TRIPLE A HALF ROUND CHISELS

	(Secretary of the second		
37.	Diam. Oct.	Length Inches	Width Cut Inches	Each (Net)
No.	Inches	Inches	Thenes	2 112
53	3/8	$5\frac{1}{2}$	1/4	\$0.45
54	1/2	61/2	5 16	.55
55	5/8	71/2	3/8	.65
56	3/4	8	1/2	.90

FAIRMOUNT TRIPLE A DIAMOND POINT CHISELS

No.	Diam. Oct. Inches	Length Inches	Width Cut Inches	Each (Net)
60	3/8	51/2	1/4	\$.45
61	1/2	$6\frac{1}{2}$	$\frac{5}{16}$.55
62	5/8	$7\frac{1}{2}$	3/8	.65
63	3/4	8	1/2	.90

FAIRMOUNT TRIPLE A SOLID PUNCHES

				- Girma			-		
No.	Diam Oct. In.	Lgth. In.	Size Pt. In.	Each Net	No.	Diam Oct. In.	Lgth. In.	Size Pt. In.	Each Net
190 191 192 193 194 195	5 16 3/8 7 1/2 1/2 1/4	5 5 5½ 6 6	3/32 4/32 5/32 5/32 6/32 7/32	\$.30 .35 .40 .45 .45	196 197 198 199 200	5% 5% 34 34 78	6½ 12 9 12 9	7/32 9/32 8/32 9/32 9/32	\$.60 .90 .95 1.15 1.15

	-				N. S. S. S.				
	Dian	ι.	Size			Dian	1.	Size	
	Oct.	Lgth.	Pt.	Each		Oct.	Lgth.	Pt.	Each
No.	In.	In.	In.	Net	No.	In.	In.	In.	Net
205	3/8	8	4/32	\$.55	208	5/8	9	5/32	\$.80
206	1/2	9	5/32	.65	209	5/8	12	6732	.90
207	1/2	13	7/32	.80	210	5/8	15	6/32	1.10

FAIRMOUNT TRIPLE A PIN PUNCHES

FAIRMOUST

								7	
	Diam.		Size			Diam		Size	
	Oct.	Lgth.	Pt.	Each		Oct.	Lgth.	Pt.	Each
No.	In.	In.	In.	(Net)	No.	In.	In.	In.	(Net)
245	3/8	5	4/32	\$.40	252	1/2	6	8/32	\$.50
246	3/8	5	5/32	.40	253	5/8	$6\frac{1}{2}$	6/32	.60
247	3/8	5	6/32	.40	254	5/8	61/2	7/32	.60
248	3/8	5	7/32	.40	255	5/8	9	6/32	.80
249	1/2	6	5/32	.50	256	5/8	9	8/32	.80
250	1/2	6	6/32	.50	257	5/8	9	10/32	.80
251	1/2	6	7/32	.50	258	5/8	9	12/32	.80

FAIRMOUNT TRIPLE A CENTER PUNCHES

	FAIRMOUNE								
No.	Diam. Oct. In.	Lgth. In.	Each (Net,	No.	Diam. Oct. In.	Lgth. In.	Each (Net)		
262	5	5	\$.30	265	1/2	6	\$.45		
263	3/8	5	.35	266	5/8	6	.60		
264	$\frac{7}{16}$	51/2	.40						

FAIRMOUNT TRIPLE A PRICK PUNCHES

	Section 1	A DATE OF THE PARTY OF THE PART)
	Diam. Oct.	Length	Each
No.	Inches	Inches	(Net)
275	5 16	5	\$.30
276	3/8	5	.35
277	1/2	6	.45
278	5/8	6	.60


FAIRMOUNT TRIPLE A PRY OR PINCH BARS

	Diam. Oct.	Length	Each
No.	Inches	Inches	(Net)
285	$\frac{7}{16}$	12	\$0.75
286	1/2	15	1.25
287	5/8	18	1.60

FAIRMOUNT TRIPLE A DRAG LINK NUT TOOL

	Oct	5% in.
FAIRMOUNT	Length 8	
No. 290 Drag Link Nut Tool,	Point ¾	in.

FAIRMOUNT BRACKET BENDING AND LINING UP ASSORTMENT



No. 542 Assortment contains:	
No. 1120 Drop Forged Double Clamp Unit	33.00
No. 1121 Pry Bar 11/4 in. Extra Heavy Pipe	
End Forged for use with 1122 Block	2.50
No. 1122 Wood Falcrum Block	.40
Nos. 1123, 1124 Fender Hookseach	.30
Nos. 1125, 1126, 1127 Body Wheel Housing	
Strapseach	.30
Nos. 1123, 1129 Cowl Strapseach	.30
No. 512 Assortment, completec.ch	8.09
Each set is packed complete in strong cardboard	car-
ton. Weight, 17 lbs.	